

# LOG BOOK

### Please read me

This book has a total of 17 pages • Also available at www.spasummerclassic.com

- 1 Timetable
- 2 Map of the Paddock
- 3 How and When to reach the paddock?
- 4 Coming with a Motor Home?
- 5 Signing on
- 6 Transponders
- Mandatory Safety Equipment
- 8 Inspection of Equipment
- 9 Scrutineering of the Car
- 10 Briefing
- 11 Noise Regulations
- 12 Radio Communication Authorisation
- 13 Oil Pollution Prevention
- 14 Security Fire Instructions (2 pages)
- 15 Thursday, June 27 Untimed open practice



#### **RACE RESULTS**

Results will be available in the Room 115 during all the meeting and livetiming on our website: <a href="www.spasummerclassic.com">www.spasummerclassic.com</a>





### **SPA SUMMER CLASSIC**

JUNE 27, 28, 29, 30 • 2019



### **TIMETABLE 2019**

[Version #1 • dated 10/04/2019]

### Thursday, June 27

09:00 - 18:00 Untimed Open Practices www.spasummerclassic.com [Chargeable • First-come, first-served]

| Friday, June 28  |      |           | Max dB<br>on track |                                  | Grid # |
|------------------|------|-----------|--------------------|----------------------------------|--------|
| 09:15 - 09:45    | 30′  | Qualif. 1 | 110 dB             | Tourenwagen Legenden             | 10     |
| 10:05 - 10:30    | 25′  | Qualif.   | 105 dB             | State of Art <b>NK GT&amp;TC</b> | 6      |
| 10:50 - 11:20    | 30′  | Qualif.   | 107 dB             | Spa Ardennes Challenge           | 11     |
| 11:45 - 12:10    | 25′  | Qualif.   | 108 dB             | Autopassion YTCC                 | 7      |
| 12:30 - 13:00    | 30′  | Qualif.   | 105 dB             | CSCC Inter-Series Cup            | 4      |
| 13:20 - 13:40    | 20′  | Qualif. 1 | 110 dB             | Historic Monoposto Racing        | 9      |
| 14:05 - 14:35    | 30'  | Qualif.   | 105 dB             | Belcar Historic & Youngtimer Cup | 2      |
| 14:55 - 15:20    | 25′  | Qualif.   | 108 dB             | Colmore YTCC                     | 8      |
| 15:40 - 16:10    | 30′  | Qualif.   | 105 dB             | CSCC Classic                     | 3      |
| 16:35 - 17:05    | 30'  | Qualif.   | 105 dB             | Catawiki <b>NK HTGT</b>          | 5      |
| 17:25 - 17:55    | 30′  | Qualif. 2 | 110 dB             | Tourenwagen Legenden             | 10     |
| 18:15 - 19:00    | 45′  | Qualif.   | 107 dB             | Spa 3 Hours                      | 1      |
| Saturday, June 2 | 29   |           |                    |                                  |        |
| 09:10 - 09:50    | 40′  | Race 1    | 107 dB             | Spa Ardennes Challenge           | 11     |
| 10:10 - 10:30    | 20′  | Race 1    | 110 dB             | Historic Monoposto Racing        | 9      |
| 10:50 - 11:20    | 30′  | Race 1    | 108 dB             | Autopassion YTCC                 | 7      |
| 11:40 - 12:20    | 40′  | Race 1    | 105 dB             | CSCC Inter-Series Cup            | 4      |
| 12:40 - 13:05    | 25′  | Race 1    | 105 dB             | State of Art <b>NK GT&amp;TC</b> | 6      |
| 13:25 - 14:05    | 40′  | Race      | 110 dB             | Tourenwagen Legenden             | 10     |
| 14:25 - 14:55    | 30′  | Race 1    | 105 dB             | Catawiki <b>NK HTGT</b>          | 5      |
| 15:15 - 15:55    | 40′  | Race 1    | 105 dB             | CSCC Classic                     | 3      |
| 16:15 - 16:45    | 30′  | Race 1    | 105 dB             | Belcar Historic & Youngtimer Cup | 2      |
| 17:05 - 17:35    | 30'  | Race 1    | 108 dB             | Colmore YTCC                     | 8      |
| 17:55 - 18:15    | 20′  | Qualif. 2 | 110 dB             | Historic Monoposto Racing        | 9      |
| 18:55 - 21:55    | 180′ | Race      | 107 dB             | Spa 3 Hours                      | 1      |
| Sunday, June 30  | )    |           |                    |                                  |        |
| 09:10 - 09:40    | 30′  | Race 2    | 108 dB             | Autopassion YTCC                 | 7      |
| 09:55 - 10:35    | 40′  | Race 2    | 105 dB             | CSCC Classic                     | 3      |
| 10:50 - 11:15    | 25′  | Race 2    | 105 dB             | State of Art <b>NK GT&amp;TC</b> | 6      |
| 11:30 - 12:00    | 30'  | Race 2    | 108 dB             | Colmore YTCC                     | 8      |
| 12:15 - 12:55    | 40′  | Race 2    | 107 dB             | Spa Ardennes Challenge           | 11     |
| 13:15 - 13:45    | 30′  | Race 2    | 105 dB             | Belcar Historic & Youngtimer Cup | 2      |
| 14:05 - 14:25    | 20′  | Race 2    | 110 dB             | Historic Monoposto Racing        | 9      |
| 14:45 - 15:15    | 30′  | Race 3    | 108 dB             | Autopassion YTCC                 | 7      |
| 15:35 - 16:15    | 40′  | Race 2    | 105 dB             | CSCC Inter-Series Cup            | 4      |
| 16:35 - 17:05    | 30′  | Race 2    | 105 dB             | Catawiki <b>NK HTGT</b>          | 5      |
| 17:25 - 17:55    | 30′  | Race 3    | 108 dB             | Colmore YTCC                     | 8      |







# 3 How and When to reach the paddock?

For all the series • See the Map of the Paddock

- In due time, you will get from your promoter series an email with an " **Authorized Access**Pass " in PDF format.
- Print that PDF page and give it to the steward at the Gate :

#### FOR TRUCKS • MECHANICS • CAR-WORKSHOP • CAR + TRAILER :

-> Entrance BLANCHIMONT gate (maximum 4m height permitted)

Motorway Verviers - St.Vith (E421-A27) >> Exit nº11 : Stavelot

#### FOR PRIVATE CARS:

No private cars in the paddock

-> for car park P14 : Entrance LA SOURCE gate

Motorway Verviers - St.Vith (E421-A27) --> Exit n°10 : Francorchamps

-> for car park BLANCHIMONT: Entrance "BLANCHIMONT" gate Motorway Verviers - St.Vith (E421-A27) >> Exit n°11: Stavelot

- In exchange for the "Authorized Access Pass" page, the steward will stick on the windscreen of your vehicle the correct sticker-pass, according to the function of your vehicle.
- When you have the sticker on your windscreen you are free to leave or enter the paddock or car park 24h/24h.

#### WHEN:

Wednesday, June 26: from 20:00 to 22:30.

The teams arriving before 20:00 or after 22:30 will be parked on standby in the overflow area.

Thursday, June 27: from 07:30 to 22:00

Friday, June 28: from 07:30 to 22:00

# 4 Coming with a Motor Home?

A Motor Home Village will welcome the Motor Home throughout the weekend. Access and facilities to the Motor Home Village are provided free of charge to competitors but plots must be booked in advance. The Motorhome village area will have a limited number of electric hook ups (available on a first come, first served basis), toilets, and waste and water facilities.

More details and booking at: http://spasummerclassic.com/index.php/motorhome/





# 5 Signing on

Location: 1st floor of the F1 Pit Building - Room 115

• Thursday, June 27: from 08:00 till 11:45 & from 12:30 till 18:30 and/or Friday, June 28: from 08:00 till 90 minutes before your practices

 Wristbands for the pitlane and track will be given to each team except for the drivers of <u>Historic Monoposto Racing</u> who can collect their wristbands in the HMR Team-Awning located in their paddock.

# **6** Transponders

Transponders will be recorded in the signing on room at the same time as your licence check. Only AMB transponders will be used.

If your car has no transponder or a Chronolec transponder, we will provide you free of charge with an AMB transponder in exchange for the licence of the driver.

# 7 Mandatory Safety Equipment

RACB Sport would like to remind what is the minimum equipment required to compete in Belgium, in order to avoid drivers being forced to buy new equipment on site or, at the worst being prevented from racing. See *Mandatory Safety Equipment* at the end of this book.

# 8 Inspection of Equipment

- At signing on, you will get your personal Inspection of Equipment form
- Inspection of equipment (helmet, overalls, gloves, shoes...) will be done in the room 127, 1st floor F1 Pit Building.
   See Mandatory Safety Equipment at the end of this book.
- The Equipment of each driver must be inspected.
- Location: 1st floor of the F1 Pit Building Room 127
- Thursday, June 27: from 08:00 till 11:45 & from 12:30 till 18:30 and/or Friday June 28: from 08:00 till 90 minutes before your practices







### 9 Scrutineering of the Car

At signing on, you will get your personal *Scrutineering of the Car* form as well as the practical details to reach the technical area. See *Mandatory Safety Equipment* at the end of this book.

|                         | Thursday 27                                   | Friday 28             |
|-------------------------|-----------------------------------------------|-----------------------|
| Spa 3 Hours             | from 08:00 till 11:45 & from 12:30 till 18:30 | From 08:00 till 16:00 |
| Belcar Cup              |                                               | From 08:00 till 13:00 |
| CSCC - Classic          | from 08:00 till 11:45 & from 12:30 till 18:30 | From 08:00 till 14:00 |
| CSCC - Inter-Series Cup | from 08:00 till 11:45 & from 12:30 till 18:30 | From 08:00 till 11:00 |
| Catawiki NK HTGT        |                                               | From 08:00 till 15:00 |
| State of Art NK GT&TC   | from 08:00 till 11:45 & from 12:30 till 18:30 | (*)                   |
| Autopassion YTCC        | from 08:00 till 11:45 & from 12:30 till 18:30 | From 08:00 till 10:30 |
| Colmore YTCC            | from 08:00 till 11:45 & from 12:30 till 18:30 | From 08:00 till 13:30 |
| Hist. Monoposto Racing  | - from 12:30 till 18:30                       | From 08:00 till 12:00 |
| Tourenwagen Legenden    | from 08:00 till 11:45 & from 12:30 till 18:30 | (*)                   |
| Spa Ardennes Challenge  | from 08:00 till 11:45 & from 12:30 till 18:30 | From 08:00 till 09:15 |

<sup>(\*)</sup> only for teams prevented from arriving on Thursday and who have informed us about their late arrival on Thursday evening after the closing time for scrutineering. Send us an email to <a href="mailtospa@roadbook.be">spa@roadbook.be</a>

# 10 Briefing

It is compulsory for all the drivers to attend the briefing. Non-presence at the briefing will result in a fine of 250€.

If the briefing of your race is at the same time as the qualifying practice of another race you are in, please advise us at signing on.

Location: 1st floor Pit Building - Room 132

| Spa 3 Hours                                | Friday 28   | 16:45 |
|--------------------------------------------|-------------|-------|
| Belcar Historic & Youngtimer Cup           | Friday 28   | 12:45 |
| Classic Sports Car Club - Classic          | Friday 28   | 11:00 |
| Classic Sports Car Club - Inter-Series Cup | Friday 28   | 11:00 |
| Catawiki NK HTGT                           | Friday 28   | 15:00 |
| State of Art NK GT&TC                      | Friday 28   | 08:45 |
| Autopassion YTCC                           | Friday 28   | 10:15 |
| Colmore YTCC                               | Friday 28   | 10:15 |
| Historic Monoposto Racing                  | Friday 28   | 12:00 |
| Tourenwagen Legenden                       | Thursday 27 | 19:00 |
| Spa Ardennes Challenge                     | Friday 28   | 09:30 |



JUNE 27, 28, 29, 30 • 2019



### 11 Noise Regulations

Whatever the car, drivers must meet the noise standards set by the circuit.

The maximum sound level permitted is mentioned for each race in the timetable of the meeting. This is the maximum sound level per car, on the track (dynamic control), measured at 15m from the centreline of the track.

If the noise limit is not respected, the car is stopped and a static control is carried out. However, should it be observed that the car exceeds on three consecutive occasions the maximum permitted during the dynamic control, it will be excluded from the meeting.

### 12 Radio Communication Authorisation

Official communication from the Belgian Institute for Postal services and Telecommunications (BIPT)

Every user of radio communication equipment is obliged to be in possession of the authorization title to use his equipment on the circuit of Spa-Francorchamps during the meeting of the Spa Summer Classic.

Controls will be carried out by the BIPT at Spa-Francorchamps and, in the event of non-compliance, may result in legal proceedings and seizure of radio equipment.

It is therefore imperative to introduce the requests for obtaining the required authorizations via the BIPT website http://www.bipt.be/en/consumers/radio/radio-networks/mobile-networks

BIPT also reports that the equipment used must comply with the regulations.

https://www.bipt.be/en/consumers/radio/radio-networks/your-radio-communications-network

Some companies would provide non-compliant equipment.

One of the sine qua non conditions for a material to comply is that it bears the CE marking.

Pay attention, the "CE" marking should not be confused with the label "China Export ». Any non-compliant equipment will be seized by BIPT.



# 13 Oil Pollution Prevention

Official communication from the management of the Spa-Francorchamps circuit.

Every team must use a sheet of plastic or an oil drip tray under the racing car to protect the ground against oil pollution. If the soil is oil stained, please use oil absorbent granules to clean before leaving the circuit.

For every remaining oil stain a penalty of €250 is invoiced by the circuit management to the team.

<u>F1 garages</u>: please avoid stains, scratches and deterioration in the floor and walls.









### 14 Security Fire Instructions 1/2

#### **APPENDIX 2: FIRE PREVENTION REQUIREMENTS**



B – 4970 STAVELOT Route de Malmedy 17 080/88.02.42

080/88.01.39

27 March, 2013.

your correspondant : Guy CLOSE E-mail : incendie@stavelot.be

Subject: fire safety- plans for the paddocks

#### Transportation and transferral of flammable materials:

- the total quantity transported must not exceed 240l per unit of transportation
- use securely closed metal containers with a maximum capacity of 60 litres
- compulsory presence of an assistant equipped with an extinguisher (6 kg powder or 6 litres foam
- no combustible items within proximity of transported hydrocarbon (e.g. tyres)
- no smoking or naked flames; keep away from ignited items, sparks, welding, etc.
- · containers must be kept closed at all times whether empty or full
- · transportation must be made in a utility vehicle designed for carrying loads
- correct electrical connection between the metallic container and earth before filling or emptying;
   during such operations the containers must be unloaded from the vehicle in advance
- it is prohibited to enter the unloading area of a covered vehicle transporting flammable liquids with mobile lighting equipment other than that designed and built to avoid igniting flammable vapours which may have been released within the interior.

#### Where the transportation is made by towing:

- · the towing vehicle must be capable of towing and braking the load
- the tyres of the trailer must be suited to the type of ground in question and to the speeds reached by the towing vehicle
- the towing hook and trailer attachment must be CE approved
- a safety cable or chain secured to the trailing arm must be used to connect the towing hook
- each barrel must be individually secured
- a technical Marshal or assessor must be present while the pumps are opened to ensure that these safety regulations are observed and sanction those in breach.

#### Handling fuel within the pit:

- hand pumps, pneumatic pumps or explosion-proof electrical pumps. NO batteries
- compulsory presence of a supervisor equipped with an extinguisher and located 2 metres from the refuelling point
- fire-resistant clothing to be worn by persons located within 2 metres
- ensure stability and earthing of refuelling towers
- compulsory presence of absorptive substance in the stand never water
- compulsory presence of 2 extinguishers (6 kg powder or 6 I foam) in each stand

#### No smoking or naked flames:

- in the entire area around the tanker lorry
- in the pit lane, in the stands, and within 5 metres of the back of the stands
- above the stands (boxes, mezzanines)





### 14 Security Fire Instructions 2/2

#### NO L.P.G. canisters:

- in the pit lane, in the stands, and within 5 metres of the back of the stands
- in any vehicle (authorised in marquees and under awnings)

#### No occupation of clearway/run-off areas:

- all the paddock road clearways.
- the 1 metre-wide clearway behind the stands.

N.B.: Authorised behind the stands: truck loading platform if lowered. Banners delimiting the stand if easily crossable.

#### Conformity of electric and gas installations:

- · standards must be met
- · gas and electric supply lines must be protected

Lt. Guy CLOSE, Chef de Corps ff.







### 15 Thursday, June 27 - Untimed open practice

Thursday, June 27 is a test day (untimed open practice) open only to cars and drivers taking part in one of the races of the meeting.

All the cars from the meeting can take part, except the cars from Historic Monoposto Racing.w

### Noise limit: max 103 dB on track per car.

A static control will be done before the car takes to the track of the circuit. Maximum permitted: 107 dB.

#### No booking.

Go to the signing on (1st floor of the F1 Pit Building - Room 115) on Thursday in the morning (opening at 8:00 am) to get your ticket(s) per session.

Payment only in cash at registration on the circuit on a first-come, first-served basis.

#### 200 euros per session.

Session 1 : 09:05 - 09:55

Session 2: 10:05 - 10:55

Session 3: 11:05 - 11:55

Session 4: 13:05 - 13:55

• Session 5 : 14:05 - 14:55

Session 6 : 15:05 - 15:55Session 7 : 16:05 - 16:55

Session 8: 17:05 - 17:55

Max 103 dB

All cars share the track at the same time, regardless of year, engine or group.

No passenger and no instructor. Only the driver alone in the car.

This is not a racing day. Please keep in mind the conviviality atmosphere and mutual respect among all participants. The track's safety service and marshals will be present to ensure this policy is observed.

Any infringement of the instructions by a driver, any dangerous behaviour, or any excess of noise, will be penalized by the exclusion of the driver and the vehicle from the meeting.





DATE: Fryday, January 11th 2019

**OBJECT:** Safety equipment of historic cars competing in Belgium

RACB Sport would like to remind what is the minimum equipment required to compete in Belgium, in order to avoid drivers being forced to buy new stuff on site or, at the worst being prevented from racing, what nobody likes to see.

Here are the main FIA safety rules for cars following Appendix K:

### **Driver equipment:**

☐ Combinaison - Standard FIA 8856-2000

(FIA technical list  $N^{\circ}$  27) (Embroidered on the backside of the collar)





| RS.095.05  | 2NV             | GA                | 17.08.05            |
|------------|-----------------|-------------------|---------------------|
| RS.095.02  |                 |                   |                     |
| RS.096.05  | <del>S 2</del>  | <del>IMPACT</del> | <del>24.08.05</del> |
| RS.169.09  | JADE / JADE TOP | LICO              | 21.01.09            |
| RS.0169.09 |                 |                   |                     |
| RS.218.12  | PRO POWER 3     | POWER ON RACEWEAR | <del>26.09.12</del> |
| RS.226.12  | ZEAL RACESUIT   | <del>ZEAL</del>   | <del>30.11.12</del> |

☐ Shoes, gloves - FIA standard 8856-2000.

(Liste technique FIA N° 27)



In compliance with FIA standard 8856-2000

Manufacturer name


ou

In compliance with FIA
Standard 8856-2000
Manufacturer name
Year of manufacture: 2016



Underwear, balaclava - FIA standard 8856-2000.

(FIA Technical list N° 27)





# FIA homologated helmet: (FIA Technical list N° 33 and 41)

| STANDARD DESIGNAT                                          | TION LABEL EXAMPLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Recognised<br>to be used<br>with FHR 1 | Recognised<br>to be used<br>without FHR |
|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------|
| FIA 8860-2018     and 8860-2018-ABP                        | This compliance with PLA Standard Bible 3919  Model May 2019  OUT  OUT  Serval For Res 2020  Model May 2019  M | YES                                    | YES                                     |
| • FIA 8860-2010  NOT VALID AFTER 31.12.2028                | FIA Standard 080-2810  Many Automat Programmy  Many Automat Programmy  Many Automat Programmy  Many Automat Programmy  Many Automatical Programmy  FIA Standard 0800-2910 g  The compliance with  FIA Standard 0800-2 | YES                                    | YES                                     |
| • FIA 8860-2004<br>NOT VALID AFTER<br>31.12.2020           | FIA Standard 8869-2004 Mauris 670 Heiste Inc Vicinia Size: 54                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | YES                                    | YES                                     |
| • FIA 8859-2015                                            | TO COMPRISE OF METERS  FAX Standard SEET-2015  Internation with the new Manual Actions  Stock Manual Seet Seet Seet Seet Seet Seet Seet See                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | YES                                    | YES                                     |
| • Snell <del>\$A2005 or</del> \$A201<br>+<br>FIA 8858-2002 | Helmet teter inchorages stod by a manufacturer is Grillance with a standard 8858-2002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | YES                                    | YES                                     |



|   | STANDARD DESIGNATION                                                                                                                                 | LABEL EXAMPLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Recognised<br>to be used<br>with FHR <sup>1</sup> | Recognised<br>to be used<br>without FHR |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-----------------------------------------|
| • | Snell <u>SA2005 or</u> SA2010<br>or SAH2010<br>+<br>FIA 8858-2010                                                                                    | SAFIZATO OF SAFIZA | YES                                               | YES                                     |
| • | Snell SA 2015 Snell Memorial Foundation 3628 Madison Avenue, Suite 11 North Highlands, CA 95660 USA www.smf.org  NOT VALID AFTER 31.12.2023          | SA2015 GNELL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | NO                                                | YES                                     |
| • | Snell SAH 2010<br>Snell SA 2010<br>NOT VALID AFTER<br>31.12.2023                                                                                     | SA2010 GHELL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | NO                                                | YES                                     |
| • | 8nell 8A 2005<br>NOT VALID AFTER<br>31.12.2018                                                                                                       | SAZIVIE (INT.L.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | NO                                                | YES                                     |
| : | SFI 31.1A SFI 31.1A SFI 31.2A SFI Foundation Inc 15708 Romerado Road, Suite N208 Poway, CA 92064 USA www.cffcundation.com NOT VALID AFTER 31.12.2018 | The Manufacture Confident in the Confide | NO.                                               | YES                                     |



### **Equipment voiture:**

Safety harness (If required by regulation),
FIA Homologated and less than 5 year old. (See mention NOT VALID AFTER XXXX)
(FIA Technical list N° 24)

(Single seater and sports car must use 5 or 6 points belts.)

□ Racing seat, if original seats are changed it must be for seat system for which the FIA Homologation is valid. (FIA Technical list N° 12 and 39)

(See mention NOT VALID AFTER xxxx)

### Standard FIA 8855-1999 (valid 5 years)

(FIA Technical list N° 12)



| CS.912.98 | KINGDRAGON S.p.A. | <del>Master VTR</del>    | <del>06.98</del> |
|-----------|-------------------|--------------------------|------------------|
| CS.972.99 | <del>EKTOR</del>  | RUNNER 2000              | <del>06.99</del> |
| CS.980.99 | COBRA SEATS       | <del>Monaco</del>        | <del>06.99</del> |
| CS.992.00 | CORBEAU           | <del>Forza</del>         | <del>01.00</del> |
| CS.993.00 | CORBEAU           | Pro series               | <del>01.00</del> |
| CS.994.00 | CORBEAU           | Revolution Property 1985 | <del>01.00</del> |
| CS.997.00 | RECARO GMBH&CO    | Pole position            | <del>01.00</del> |
| CS.053.02 | CORBEAU           | <del>Sprint</del>        | <del>01.02</del> |
| CS.057.02 | BIMARCO           | EXPERT                   | <del>07.02</del> |
| CS.133.05 | ROSSI SPORT       | Professional II          | <del>01.05</del> |
| CS.142.05 | ROSSI SPORT       | Professional III         | <del>09.05</del> |
| CS.159.06 | GP-RACE           | TOP RALLY                | <del>03.06</del> |
| CS.195.07 | NICK COMPETICION  | EFE UNO                  | <del>04.07</del> |
| CS.207.08 | GP-RACE           | TOP CIRCUIT              | <del>03.08</del> |
| CS.208.08 | GP-RACE           | TOP RALLY LIGHT          | <del>03.08</del> |
| CS.213.08 | BORDER            | <del>SPC</del>           | <del>05.08</del> |
|           | MOTORSEATS        |                          |                  |

#### Standard FIA 8862-2010 (valid 10 years)

(FIA Technical list N° 40)

NON VALABLE APRÈS LE 31.12.2021 NOT VALID AFTER 31.12.2021





NOUVELLE ETIQUETTE EN VIGUEUR A COMPTER DU 01.01.2012 NEW LABEL IN EFFECT AS FROM 01.01.2012





| CS.912.98 | KINGDRAGON S.p.A. | Master VTR            | <del>06.98</del> |
|-----------|-------------------|-----------------------|------------------|
| CS.972.99 | EKTOR             | RUNNER 2000           | <del>06.99</del> |
| CS.980.99 | COBRA SEATS       | Monaco                | <del>06.99</del> |
| CS.992.00 | CORBEAU           | <del>Forza</del>      | <del>01.00</del> |
| CS.993.00 | CORBEAU           | <del>Pro series</del> | <del>01.00</del> |
| CS.994.00 | CORBEAU           | Revolution            | <del>01.00</del> |
| CS.997.00 | RECARO GMBH&CO    | Pole position         | <del>01.00</del> |
| CS.053.02 | CORBEAU           | <del>Sprint</del>     | <del>01.02</del> |
| CS.057.02 | BIMARCO           | EXPERT                | <del>07.02</del> |
| CS.133.05 | ROSSI SPORT       | Professional II       | <del>01.05</del> |
| CS.142.05 | ROSSI SPORT       | Professional III      | <del>09.05</del> |
| CS.159.06 | GP-RACE           | TOP RALLY             | <del>03.06</del> |
| CS.195.07 | NICK COMPETICION  | <del>EFE - UNO</del>  | <del>04.07</del> |
| CS.207.08 | GP-RACE           | TOP CIRCUIT           | <del>03.08</del> |
| CS.208.08 | GP-RACE           | TOP RALLY LIGHT       | <del>03.08</del> |
| CS.213.08 | BORDER            | SPC                   | <del>05.08</del> |
|           | <b>MOTORSEATS</b> |                       |                  |

| AS.001.09 | OMP    | HTE-ONE               | <del>11.12.09</del> |
|-----------|--------|-----------------------|---------------------|
|           |        | PRO ADV SUOERCARBON & |                     |
| AS.006.10 | SPARCO | PRO ADV SUPERCARBON   | <del>07.02.10</del> |
|           |        | <del>PLUS</del>       |                     |

Handheld fire extinguisher, min 2kg powder / 2.4ltr AFFF, fixed with a purpose-built cradle bolted to the car body and retaining metallic bands through this, as opposed to just retaining straps attached directly to the body.

(FIA Technical list N° 16)



It is recommended to use installed systems (FIA technical list 16), in that case extinguisher bottle must be attached with metallic band tightened with screws.



All fire extinguishers must have been inspected within two years with the dated inspection sticker clearly visible.



| Circuit breaker controlled easily from inside by the driver seated.  (See App J – Art.253.13)                                                                                                                                  |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Metal tow ring or towing strap, front and rear, indicated with a contrasting color arrow on the body (not for single-seat cars).                                                                                               |  |  |  |  |
| A red rain light is mandatory, mounted less than 10 cm from the car center-line of the back of the car. The light must be either incandescent and of a power of at least 21 Watts, or of LED type.  (FIA Technical list N° 19) |  |  |  |  |
| The fuel tank must be filled with safety foam.  (Other than original)  FIA Standard FT3-1999  Homologation No: ysomus-74800  Manufacturer: Tank Company Serial number: 11265-12-569                                            |  |  |  |  |
| In case of a safety fuel tank (FT3 & FT3.5) is required or installed it must be within the validity of homologation (Appendix J Art. 253.14).                                                                                  |  |  |  |  |
| ☐ The ROPS (Roll Over Protection Structure) must conform to appendix K. (FIA Technical list № 23)                                                                                                                              |  |  |  |  |
| It must be padded with FIA 8857-2001 type A approved foam where driver helmet could come in contact with the ROPS.                                                                                                             |  |  |  |  |
| This measurement follows the after's spine  Meaure selon la colonne ventibrale du plote                                                                                                                                        |  |  |  |  |
| The structure in all open cars must be a minimum of 5 cm above the top of the driver's and co-drivers helmets at all times.                                                                                                    |  |  |  |  |
| ☐ Two rear-view mirrors must be fitted, with min. total glass area of 90 cm₂.                                                                                                                                                  |  |  |  |  |



### **FHR wearing: (Frontal Head Restraint)**

The proof of "period specification" is always to be provided by the competitor.

- Is mandatory for the F1 from period G (from 01/01/1968).
- Is more than recommended for Young Timer (period J1 & J2 from 01/01/1982)
- Frontal Head Restraint [FHR system] will probably be mandatory in the coming years for all cars Old Timer as Young Timer.

8858-2002 8858-2010



8558-2010



ETIQUETTE APPOSEE SUR LES SYSTEMES
RFT FABRIQUES AVANT LE 01.01.2013
LABEL USED ON FHR SYSTEMS
MANUFACTURED BEFORE 01.01.2013

NOUVELLE ETIQUETTE EN VIGUEUR A COMPTER DU 01.01.2013 NEW LABEL IN EFFECT AS FROM 01.01.2013





- When buying new harness pay attention that some harness can only be used with the Frontal Head Restraint system. (FHR only)
- When buying new equipment, always check carefully that this equipment has the latest homologation. (FIA ISO6940, FIA-1986, ...)